Name:	Adm No.
Class:	. Date:
233/1	
CHEMISTRY	
PAPER 1	
FORM III	
END TERM 2 EXAMS	
Time: 2 hours	

## 233/1

## **CHEMISTRY**

## **FORM III**


## **INSTRUCTIONS TO THE CANDIDATES:-**

- Write your **name** and admission **number** on the spaces provided.
- Answer *all* the questions in the spaces provided.
- Mathematical tables and electronic used calculators may be
- All working **MUST** be clearly shown where necessary.

Question	Maximum score	Candidate's score
1-30	80	

	Solid P Gas  Liquid.	
	Name processes: P:	(1mk)
	<i>R</i> :	(1mk)
(a)C	tive <b>one</b> reason some of the laboratory apparatus are made of ceramics.	(1 mark)
(b)	Name <b>two</b> apparatus that can be used to measure approximately 75 cm o sulphuric (VI) acid.	(2 marks
	w the procedural set-ups that can be used to separate a mixture of sand and c	
chlo	ride to obtain crystals of calcium chloride.	(3 mark
		• • • • • • • • • • • • • • • • • • • •
		• • • • • • • • • • • • • • • • • • • •
	••••••	

5.



(a)	Write the chemical equation for the reaction taking place in the con	(1 mark)
(b)	State and explain the observation made in the boiling tube.	(2 marks)

6. A student placed some hydrogen peroxide in a test tube then added a small amount of Solutions can be classified as acids, bases or neutral. The table below shows solutions and their pH values

Solution	pH – values
K	1.5
L	7.0
M	14.0

(a) Select any pair that would react to form a solution of pH 7 (1 Mark)

(b) Identify two solutions that would react with aluminium hydroxide. Explain (2 Marks)

7.	9.12g of a gaseous compound contains 8g of silicon while the rest is hydrog empirical formula of the compound. ( $H = 1$ , $Si = 28$ )	
	empirical formula of the compound. $(11-1, 31-28)$	(3 Marks)
		•••••
8.	Study the set-up below and answer the questions that follow.	
	Glass tube Glass wool Oxygen gas	
	Aqueous	
	ammonia	
	(a) Why is aqueous ammonia warmed gently?	(1 Mark)
		,
	(b) What is the colour of the flame?	(1 Mark)
	••••••	,
•••	•	
	(c) Write the chemical equation for the reaction that takes place	(1Mark)
		•••••
9. (	(a) Chlorine can be prepared in the laboratory by using the following reagents Concentrated sulphuric (VI) acid, water, manganese (IV) oxide, concentrate  (i) State the role of concentrated sulphuric (VI) acid.	and chemicals.
		•••••


		(11)	Write the equation for formation of chlorine.	(1 mark)
				••
		(iii)	What is the role of manganese (IV) oxide?	(1 mark)
				•••••
10.	(a)	State	Boyle's law.	(1 mark)
	•••••			•••••
	(b)		occupies 270cm <sup>3</sup> at a pressure of 660mmHg at 37 <sup>o</sup> C. What is are is changed to 810 mmHg at 63 <sup>o</sup> C?	the new volume if (2 marks)
			are is changed to 610 mining at 65°C:	· · · · · · · · · · · · · · · · · · ·
		• • • • • • • • • • • • • • • • • • • •		
	•••••	• • • • • • • • • •		
				••••
	•••••			•••••
	•••••	• • • • • • • • •		•••••
	•••••	• • • • • • • • • •	•••	
11	<b>A</b>	<b>.</b> .		-4 -1-1 IC ic-
11.			ompound contain s 24.24% carbon, 4.04% hydrogen and the recular mass is 99, what is its molecular formula?	(3 marks)
			1, $Cl = 35.5$ )	(5 marks)
	•••••			
	•••••	• • • • • • • • •		
	•••••	• • • • • • • • •		•••••

	- <i>23.</i> 11 – 1 <del>4</del> , O –	16, molar gas volume = $2$	2.4L)	(3 mar
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
• • • • • • • • • • • • • • • • • • • •	•••••	•••••	•••••	• • • • • • • • • • • • • • • • • • • •
• • • • • • • • • • • • • • • • • • • •	•••••			
• • • • • • • • • • • • • • • • • • • •	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••
• • • • • • • • • • • • • • • • • • • •	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••
• • • • • • •	•••••			
• • • • • •	•••••			
				• • • • • • • • • • • • • • • • • • • •
			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
(a)	Give <b>one</b> adva	ntage of using methyl orar		thalein as an indicator. (1 mar
(a)	Give <b>one</b> adva			(1 mar
				(1 mar
(a)  (b)	Three drops of	litmus solution was added	I to 20 cm <sup>3</sup> of 2M	hydrochloric acid in a
	Three drops of beaker followe	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammo	I to 20 cm <sup>3</sup> of 2M	hydrochloric acid in a State and explain the
	Three drops of	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammo	I to 20 cm <sup>3</sup> of 2M	hydrochloric acid in a
	Three drops of beaker followe	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammo	I to 20 cm <sup>3</sup> of 2M	hydrochloric acid in a State and explain the
	Three drops of beaker followe	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammo	I to 20 cm <sup>3</sup> of 2M	hydrochloric acid in a State and explain the
	Three drops of beaker followe	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammo	I to 20 cm <sup>3</sup> of 2M	hydrochloric acid in a State and explain the
(b)	Three drops of beaker followe observation ma	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammonade.	I to 20 cm <sup>3</sup> of 2M nium hydroxide.	hydrochloric acid in a State and explain the
(b)	Three drops of beaker followe observation ma	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammo	I to 20 cm <sup>3</sup> of 2M nium hydroxide.	hydrochloric acid in a State and explain the
(b)	Three drops of beaker followe observation ma	litmus solution was added d by 20 cm <sup>3</sup> of 2M ammonade.	I to 20 cm <sup>3</sup> of 2M nium hydroxide.	hydrochloric acid in a State and explain the
(b)	Three drops of beaker followe observation ma	Tlitmus solution was added and by 20 cm <sup>3</sup> of 2M ammonade.	I to 20 cm <sup>3</sup> of 2M nium hydroxide.	hydrochloric acid in a State and explain the
(b)	Three drops of beaker followe observation may	litmus solution was added by 20 cm³ of 2M ammodade.	I to 20 cm <sup>3</sup> of 2M nium hydroxide.	hydrochloric acid in a State and explain the (2 mar
(b)	Three drops of beaker followe observation may	Tlitmus solution was added and by 20 cm <sup>3</sup> of 2M ammonade.	I to 20 cm <sup>3</sup> of 2M nium hydroxide.	hydrochloric acid in a State and explain the
(b)	Three drops of beaker followe observation may	litmus solution was added by 20 cm³ of 2M ammonde.  elow and answer the quest Brown gas  Yellow solid Dil. N	I to 20 cm <sup>3</sup> of 2M nium hydroxide.	hydrochloric acid in a State and explain the (2 mar

12.

	(a)	write	a balanced <i>chemical equation</i> between the yellow solid and di	(1mk)
15.	Study	y the dia	gram below and answer the questions that follow.	
			Molten Magnes	ium Chloride
	(a)	Defin	e the term electrolysis.	(1 mark)
	•••••			
	(b)	On th	e diagram, label the Anode and Cathode.	(2 marks)
	(c)	Write	the equation at the anode.	(1 mark)
16.	two v	vash bot entrated	nd the proportion by volume of gases in air, a sample of air was tles, the first containing sodium hydroxide solution and the sec sulphuric (VI) acid. The remaining gas was then collected in a was the air passed through;	ond containing
		(i)	sodium hydroxide solution?	(1 mark)
		(ii)	concentrated sulphuric (VI) acid?	(1 mark)
	(b)	Name	is the major gas collected in the syringe.	(1 mark)
17.	Durir (a)	_	anufacture of sodium carbonate in the industry. the name of the process to manufacture sodium carbonate.	(1 mark)

	(b)	Write the final equation to form sodium carbonate during the process.	(1 mark)
	(c)	Give <b>one</b> use of sodium carbonate.	(1 mark)
18. D	escribe	how to prepare crystal of magnesium sulphate starting with magnesium po	
			••
19.	(a) the	Complete the diagram below to show how dry sample of hydrogen gas is laboratory.	s prepared in (2 marks)
		Dilute H <sub>2</sub> SO <sub>4</sub>	




(b) Name the catalyst which could be used to increase the reaction rate of production of hydrogen gas in the set up drawn above. (1 mark)

20.		An element consists of two isotopes with atomic masses 59 and 61 in the ratio of 3:2 respectively.				
	(a)	What are isotopes?	(1 mark)			
	•••••					
	(b)	Calculate the relative atomic mass of the element.	(2 marks)			
21.		lement: <sup>24</sup> / <sub>12</sub> R				
21.	(a)	To which chemical family does it belong?	(1 mark)			
	(a)		(1 mark)			
	(b)	Write the electron arrangement of the atom.	(1 mark)			
	(c)	Draw the structure of its ion.	(1 mark)			
	•••••					
22.	If 250	cm <sup>3</sup> of 0.1M H <sub>2</sub> SO <sub>4</sub> solution neutralized a solution contain 1.06g of sodium	carbonate in			
		m <sup>3</sup> of solution, calculate the morality and volume of sodium carbonate soluti				
	(Na =	= 23, O = 16, C = 12)	(3 Marks)			
	•••••					
23.		n <sup>3</sup> of oxygen gas diffused through a porous plug in 80 seconds. How long wi	ll it take			
	100c	$m^3$ of sulphur (IV) oxide to diffuse through the same plug? (S = 32, o = 16)	(3 Marks)			
	•••••					

24. (a) State ethan		e following parts during fractional distillation of a	mixture of water and
(i) Glass	beads in the fr	actionating column	(1 Mark)
•••••			
(ii) Frac	ctionating colur	nn	(1 Mark)
(b) State	any one applic	eation of fractional distillation	(1 Mark)
 25. (a)   	State what is	is given the process shown by the salt in (a) above	t in air overnight.(1 mark)
26. Give	en;	Black solid $\mathbf{K}$ residue Step $2$ Add $H_2SO_4$	Blue solution <b>J</b>
Solid <b>F</b>	Heat Step 1		
		Colourless gas which forms white precipitate with lime water.	
(a)	Identify; Solid <b>F</b>		
	Solid <b>J</b>	(1 mark)	
(b)	Write equati	ion for step 1.	(1 mark) (1 mark)

27.	Use	dot $(ullet)$ and cross $(\mathbf{X})$ to show the bonding in Lithium oxide.	(2 mark)
28.		ess magnesium ribbon was burnt in air to form a white solid mixture now the formation of the white solid mixture.	ure. Write two equation (2 marks)
29. T	he set-	-up below shows how gas A was prepared and reacted with heater	d magnesium
		Magnesium  → → ↑ ↑  Heat  Ammonia nitrite  ↑↑↑  Heat	cess gas
a) <b>Gi</b>	<i>ve</i> a re	Ammonia nitrite  +++ Heat  eason why it is not advisable to heat magnesium before heating an	
a) <i>Gi</i>	ve a re i)	Ammonia nitrite  +++ Heat  eason why it is not advisable to heat magnesium before heating an	nmonium nitrite. mk)



1)	Name the gas that is produced when concentrated sulphuric (VI) a chloride	(1 mark)	1
	ii) Why is it necessary to use a funnel in the beaker?	(1 mark)	
iii)	How does the gas affect the P <sup>H</sup> of the water in the beaker?	(1 mark)	
			• •
			• •